

# fail-fast: L<sup>A</sup>T<sub>E</sub>X Package that turns warnings into errors\*

Yegor Bugayenko  
yegor256@gmail.com

2023-07-04, 0.0.2

## 1 Introduction

This package, when included, turns warnings into errors, thus making the build more fragile. This may be a good practice if you care about the quality of your documents and want to keep the quality high, not losing it between changes:

Here goes your content.	1 \documentclass{article}
	2 \usepackage{fail-fast}
	3 \pagestyle{empty}
	4 \begin{document}
	5 Here goes your content.
	6 \end{document}

The development of this package was motivated by this [Stack Overflow question](#).

## 2 Implementation

```
1\message{fail-fast: Starting from now all warnings
2 are reported as errors^^J}%
3\renewcommand{\GenericWarning}[2]{%
4 \GenericError{#1}{#2}{}{This was a warning, now an error}%
5}
```

---

\*The sources are in GitHub at [yegor256/fail-fast](#)

## Change History

v0.0.1		v0.0.2	
General: Initial version, which turns		General: Minor changes in the	
warnings into errors . . . . .	1	documentation . . . . .	1

## Index

Numbers written in *italics* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

<b>G</b>	<b>M</b>	<b>R</b>
<code>\GenericError</code> ..... <i>4</i>		
<code>\GenericWarning</code> ..... <i>3</i>	<code>\message</code> ..... <i>1</i>	<code>\renewcommand</code> ..... <i>3</i>